




BENTLEY®

COLOR CORE

FAST TRACK



BENTLEY®



Color Core

If you take the time to investigate even the simplest of things, you'll often find that there is so much more than what we absorb upon first glance. There can be a depth and texture that, once uncovered, can't be dismissed. Engineered with a unique and innovative fiber process, Bentley's Color Core is a prime example of this anomaly.

Grounded by contrasting complementary yarn components, traditional reds, blues, browns, and greys all subtly expose a more complex identity as they emerge and retreat throughout the entirety of this product. It's this complexity that allows Color Core to easily morph and blend with other products, while at the same time possess the confidence to tackle an entire space on its own. It's a classic yet modern go-to that, time and time again, will add dimension to any environment.

After all, at the core of any successful project, a little color is always key.



Color Core




COLOR CORE 4EOT0, LISTEN 402547, 18 IN X 36 IN - MONOLITHIC (RAILROAD INSTALLATION)




COLOR CORE 4EOT0, LISTEN 402547, 18 IN X 36 IN - HERRINGBONE



COLOR CORE 4EOT0, WALK 402544, 18 IN X 36 IN - HERRINGBONE



COLOR CORE 4EOT0, WALK 402544, 18 IN X 36 IN - HERRINGBONE





COLOR CORE 4EOT0, SING 402546, 12 FT - BROADLOOM



COLOR CORE 4EOTO, DANCE 402555, 24 IN X 24 IN - QUARTER TURN






COLOR CORE 4EOT0, BIKE 402549, 18 IN X 36 IN - PARQUET



COLOR CORE 4EOT0, BIKE 402549, 18 IN X 36 IN - PARQUET



COLOR CORE 4EOT0, SWIM 402552 AND DANCE 402555, 24 IN X 24 IN - MONOLITHIC



COLOR CORE 4EOT0, 18 IN X 36 IN - ASHLAR




COLOR CORE 4EOT0, SWIM 402552, DANCE 402555, LISTEN 402547, 24 IN X 24 IN - BRICK

COLOR CORE color line as featured in architect folder.



Smile 402540



Breathe 402541



Cook 402542




Sleep 402543




Walk 402544




Hike 402545




Sing 402546




Listen 402547



Eat 402548



Bike 402549




Drive 402550




Speak 402551




Swim 402552




Run 402553



Dance 402555



Laugh 402556



See 402558



Touch 402559

The printed images may not be an accurate reproduction of the product's actual colorways. We strive to offer an authentic representation, but images may vary according to press run. These images are intended as a guide only. If you would like a sample of this product, please call Customer Care at 800.423.4709.

Color Core™ Specifications

Style Number	4EOT0
Product Construction	Tufted Level Loop
Fiber	Universal Fibers® Type 6.6 Nylon
Dye Method	Solution Dyed
Backing Options	
Broadloom	High PerformancePC
Carpet Tile	AFFIXX™ Hardback Tile AFIRMA II™ Hardback Tile NexStep® Cushion Tile
Size Options	
Broadloom	12 ft (3.657 m)
Carpet Tile	18 in x 36 in (45.72 cm x 91.44 cm) 24 in x 24 in (60.96 cm x 60.96 cm)
Machine Gauge	1/12 in (47.2 ends/10 cm)
Stitches	10.8/in (42.5 ends/10 cm)
Pile Density	6,984 oz/yd ³
Total Weight	
High PerformancePC Broadloom	45 oz/yd ² (1,525.8 g/m ²)
AFFIXX™ Hardback Tile	70 oz/yd ² (2,373.4 g/m ²)
AFIRMA II™ Hardback Tile	58 oz/yd ² (1,966.5 g/m ²)
NexStep® Cushion Tile	88 oz/yd ² (2,983.7 g/m ²)
Total Thickness	
High PerformancePC Broadloom	0.190 in (4.8 mm)
AFFIXX™ Hardback Tile	0.175 in (4.4 mm)
AFIRMA II™ Hardback Tile	0.170 in (4.3 mm)
NexStep® Cushion Tile	0.290 in (7.4 mm)
Pattern Repeat	
Broadloom	None
Carpet Tile	None
Radiant Panel	Passes Class 1, ≥ 0.45 W/cm ² (ASTM-E648)
Smoke Density	< 450 Dm corr (ASTM-E662), Flaming
Static	≤ 3.5 kV (AATCC-134), Step
Flammability	Passes Methenamine Pill Test (CPSC-FF1-70)

CE Mark excludes AFFIXX™ Hardback Tile.


Fast Track is Bentley's quick-ship program. This program is designed for maximum flexibility and expedited delivery to the client. Color Core is available in 18 colorways in 18 in x 36 in and 24 in x 24 in NexStep® Cushion Tile and AFIRMA II™ Hardback Tile. Orders of 1,500 square yards or less will be ready to ship within 10 business days of order. For orders exceeding 1,500 square yards, please contact our Customer Care Concierge for availability.

AFFIXX™ Hardback Tile backing is excluded from the Fast Track program.




Recommended Carpet Tile Installation Methods

18 in x 36 in



24 in x 24 in



Bentley's carpet products are manufactured in our California mill, a LEED Existing Buildings: Operations and Maintenance Gold certified facility. Certificates for carpet products, including Cradle to Cradle™, NSF/ANSI Standard 140 - Sustainable Carpet Assessment (NSF 140), and CRI Green Label Plus are available in *Certifications* under the Sustainability section of our website. Information regarding our Environmental Product Declarations, Health Product Declarations, and Declare Labels can be found in *Transparency* under the Sustainability section of our website. For more information, including product warranties, please visit bentleymills.com.

Patterned carpet may require special attention by the installer to assure a suitable match, and must be addressed in the original labor quotation. Repositioning of carpet tiles may be necessary to ensure light or dark lines do not align at the seams. Products that go through the shearing process may result in a small loss of yarn weight. Slight variations in color among different production lots are normal and should be considered in the overall installation plan. Carpet specifications and components are subject to normal manufacturing tolerances and may change without notice. Product warranted in accordance with the terms and conditions of Bentley's standard printed warranty in effect at time product is sold. All other warranties, including without limitation any implied warranties of merchantability or fitness for a particular purpose, are hereby disclaimed. Made in USA. Warning: unauthorized reproduction of this carpet design constitutes copyright infringement. ©2020 Bentley Mills, Inc.

Need additional samples or information? 800.423.4709 | BentleyMills.com

(BK-CP-0220)



BENTLEY®

800.423.4709 | BENTLEYMILLS.COM

14641 E. DON JULIAN ROAD, CITY OF INDUSTRY, CA 91746